Information Processing Letters 31 (1989) 331–332
North-Holland

AUTHOR INDEX VOLUME 31 (1989)

(The issue number is given in front of the page number)

Aggarwal, A. and **M. Hawrylycz,** On computing the closest boundary point on the convex hull (6) 311–314
Aggarwal, A. and **D. Kravets,** A linear time algorithm for finding all farthest neighbors in a convex polygon (1) 17– 20
Allison, L., Direct semantics and exceptions define jumps and coroutines (6) 327–330
Barnard, D.T., *see* **Skillicorn, D.B.** (3) 111–117
Basart, J.M. and **L. Huguet,** An approximation algorithm for the TSP (2) 77– 81
Beaudry, M., Characterization of idempotent transformation monoids (3) 163–166
Bermudez, M.E. and **G. Logothetis,** Simple computation of LALR(1) lookahead sets (5) 233–238
Bertolazzi, P. and **A. Sassano,** A decomposition strategy for the vertex cover problem (6) 299–304
Bloniarz, P.A. and **S.S. Ravi,** An $\Omega(n \log n)$ lower bound for decomposing a set of points into chains (6) 319–322
Bodlaender, H.L., Achromatic number is NP-complete for cographs and interval graphs (3) 135–138
Carlsson, S., J. Chen and **Th. Strothotte,** A note on the construction of data structure "deap" (6) 315–317
Carson, S.D. and **P. Vongsathorn,** Error bounds on disk arrangement using frequency information (4) 209–213
Casas, R., J. Díaz and **J.M. Steyaert,** Average case analysis of Robinson's unification algorithm with two different variables (5) 227–232
Chen, J., *see* **Carlsson, S.,** (6) 315–317
Cheriyan, J. and **S.N. Maheshwari,** The parallel complexity of finding a blocking flow in a 3-layer network (3) 157–161
Chlebus, B.S., Parallel iterated bucket sort (4) 181–183
Czaja, L., Finite processes in cause–effect structures and their composition (6) 305–310
De Fraysseix, H. and **H. Imai,** Notes on oriented depth-first search and longest paths (1) 53– 56
Díaz, J., *see* **Casas, R.,** (5) 227–232
Eisinger, N., A note on the completeness of resolution with self-resolution (6) 323–326
Falkowski, B-J., A self-optimizing Prolog program and the underlying statistical model (5) 273–276
Feinberg, E.B., Characterizing the shortest path of an object among obstacles (5) 257–264
Foster, D.P. and **V. Vohra,** Probabilistic analysis of a heuristics for the dual bin packing problem (6) 287–290
Ginat, D., D.D. Sleator, and **R.E. Tarjan,** A tight amortized bound for path reversal (1) 3– 5
Goldberg, A.V. and **R.E. Tarjan,** A parallel algorithm for finding a blocking flow in an acyclic network (5) 265–271
Goldman, S.A., A space efficient greedy triangulation algorithm (4) 191–196
Gregori, A., Unit-length embedding of binary trees on a square grid (4) 167–173
Hartley, R.I., Drawing polygons given angle sequences (1) 31– 33
Hawrylycz, M., *see* **Aggarwal, A.,** (6) 311–314
Head, T., Deciding the immutability of regular codes and languages under finite transductions (5) 239–241
Ho, C.W. and **R.C.T. Lee,** Counting clique trees and computing perfect elimination schemes in parallel (2) 61– 68
Hochbaum, D.S. and **R. Shamir,** An $O(n \log^2 n)$ algorithm for the maximum weighted tardiness problem (4) 215–229
Hsu, W.-L., *see* **Shih, W.-K.** (3) 129–134
Huguet, L, *see* **Basart, J.M.** (2) 77– 81
Ibaraki, T., *see* **H. Nagamochi** (6) 279–285
Imai, H., *see* **De Fraysseix, H.** (1) 53– 56
Kamada, T. and **S. Kawai,** An algorithm for drawing general undirected graphs (1) 7– 15
Kamada, T., *see* **Matsuoka, S.** (3) 119–126
Kanchanasut, K., *see* **Malhotra, M.V.** (4) 185–189
Kawai, S., *see* **Kamada, T.** (1) 7– 15
Kawai, S., *see* **Matsuoka, S.** (3) 119–126
Khuller, S., On computing graph closures (5) 249–255
Kotov, V., Andrei P. Ershov (1931–1988) (1) 1– 2
Kravets, D., *see* **Aggarwal, A.** (1) 17– 20
Kumar, V., Concurrency control on extendible hashing (1) 35– 41
Lee, R.C.T., *see* **Ho, C.W.** (2) 61– 68
Lentfert, P. and **M.H. Overmars,** Data structures in a real-time environment (3) 151–155
Leung, J.Y.-T., Bin packing with restricted piece sizes (3) 145–149
Logothetis, G., *see* **Bermudez, M.E.,** (5) 233–238
Luccio, F., and **L. Pagli,** On the upper bound on the rotation distance of binary trees. (2) 57– 60
Maheshwari, S.N., *see* **Cheriyan, J.** (3) 157–161
Malhotra, V.M., T.V. To and **K. Kanchanasut,** An improved data-dependency-based backtracking scheme for Prolog (4) 185–189

Matsuoka, S., T. Kamada and **S. Kawai,** Asymptotic evaluation of window visibility (3) 119–126
Mattern, F., An efficient distributed termination test (4) 203–208
Mattern, F., *see* **Tel, G.** (3) 127–128
Mukkamala, R., Some properties of view-based replication control algorithms for distributed systems (6) 295–298
Nagamochi, H. and **T. Ibaraki,** On max-flow min-cut and integral flow properties for multicommodity flow in directed networks (6) 279–285
Olariu, S., A simple linear-time algorithm for computing the RNG and MST of unimodal polygons (5) 243–247
Olariu, S. and **J. Randall,** Welsh-Powell opposition graphs (1) 43– 46
Overmars, M.H., *see* **Lentfert, P.** (3) 151–155
Pagli, L., *see* **Luccio, F.** (2) 57– 60
Ramakrishna, M.V., Analysis of random probing hashing (2) 83– 90
Ramanan, P., Average-case analysis of the Smart Next Fit algorithm (5) 221–225
Randall, J., *see* **Olariu, S.** (1) 43– 46
Ravi, S.S., *see* **Bloniarz, P.A.** (6) 319–322
Robert, Y., B. Tourancheau and **G. Villard,** Data allocation strategies for the Gauss and Jordan algorithms on a ring of processors (1) 21– 29
Rytter, W., A note on optimal parallel transformations of regular expressions to nondeterministic finite automata (2) 103–109
Sassano, A., *see* **Bertolazzi, P.** (6) 299–304
Shamir, R., *see* **Hochbaum, D.S.** (4) 215–219
Shih, W.-K. and **W.-L. Hsu,** An $O(n \log n + m \log \log n)$ maximum weight clique algorithm for circular-arc graphs (3) 129–134
Skillicorn, D.B. and **D.T. Barnard,** Parallel parsing on the connection machine (3) 111–117
Sleator, D.D., *see* **Ginat, D.** (1) 3– 5
Stålmarck, G., A note on the computational complexity of the pure classical implication calculus (6) 277–278
Stewart, I.A., An algorithm for colouring perfect planar graphs (2) 97–101
Steyaert, J.M., *see* **Casas, R.** (5) 227–232
Strothotte, Th., *see* **Carlsson, S.** (6) 315–317
Sundar, R., Worst-case data structures for the priority queue with attrition (2) 69– 75
Tarjan, R.E., *see* **Ginat, D.** (1) 3– 5
Tarjan, R.E., *see* **Goldberg, A.V.** (5) 265–271
Tel, G. and **F. Mattern,** Comments on "Ring based termination detection algorithm for distributed computations" (3) 127–128
To, V.T., *see* **Malhotra, V.M.** (4) 185–189
Tourancheau, B., *see* **Robert, Y.** (1) 21– 29
Tsitsiklis, J.N., On the use of random numbers in asynchronous simulation via rollback (3) 139–144
Varma, A., Fault-tolerant routing in unique-path multistage interconnection networks (4) 197–201
Villard, G., *see* **Robert, Y.** (1) 21– 29
Vohra, R.V., *see* **Foster, D.P.** (6) 287–290
Vongsathorn, P., *see* **Carson, S.D.** (4) 209–213
Warren Burton, F., A note on higher-order functions versus logical variables (2) 91– 95
Wu, X., Fast approximations to discrete optimal quantization (4) 175–179
Yoccoz, S., Recursive ω-rule for proof systems (6) 291–294
Yu, S., A pumping lemma for deterministic context-free languages (1) 47– 51